



The Next Generation in Sustainable Lighting

EnduraLED T8 Tube Specifier Series

Philips EnduraLED T8 Tube Specifier lamp is a LED replacement for existing 2 and 4 foot linear fluorescent fixtures and provides up to 40% energy savings over T12. With long life, low energy consumption and no mercury, Philips EnduraLED T8 is the next generation in sustainable lighting.

Benefits

- Long Life— L70 is 40,000 hours
- Glass-free for safer working conditions
- No mercury allowing for non-hazardous waste disposal
- Emits virtually no UV rays

Features

- Simple re-wire drop in replacement allows for quick installation
- Patented safety technology that electrically separates the end caps, allowing for a safer operating environment
- Full light output down to -22°F (-30°C)
- Available in 2ft and 4ft T8 types, offering a color choice of either 835 or 840

City Electric Company, Inc.

Watertown

(315) 782-0704

Ogdensburg

(315) 394-0878

Oneida

(315) 361-4149



www.cityelectricweb.com

Corporate Office

Syracuse
(315) 474-7841

Oswego

(315) 343-2739


Rochester

(585) 247-3100

24 Hour
Emergency Number
(800) 999-7841

PHILIPS
sense and simplicity


Related products



Endura LEDtube GA 11W/840



Endura LEDtube GA 11W/835




Endura LEDtube GA 22W/835



Endura LEDtube GA 22W/840

Dimensional drawing



MASTER LEDtube, G13

Product	A1 (Norm)	A2 (Norm)	A3 (Norm)	C1 (Norm)	D1 (Norm)	D2 (Norm)
LEDtube T8 Tube GA 11W/835 24" G13	588.5	595.5	602.5	-	28	25.68
LEDtube T8 Tube GA 22W/835 48" G13	1198.0	1205.0	1212.0	-	28	25.68
LEDtube T8 Tube GA 11W/840 24" G13	588.5	595.5	602.5	-	28	25.68
LEDtube T8 Tube GA 22W/840 48" G13	1198.0	1205.0	1212.0	-	28	25.68

General Characteristics

Order code	Full product name	Cap-Base
929000290604	EnduraLED T8 Tube GA 11W/840 24" G13	G13

Order code	Full product name	Cap-Base
929000290004	EnduraLED T8 Tube GA 11W/835 24" G13	G13
929000290104	EnduraLED T8 Tube GA 22W/835 48" G13	G13
929000290704	EnduraLED T8 Tube GA 22W/840 48" G13	G13

City Electric Company, Inc.

Watertown
(315) 782-0704

Ogdensburg
(315) 394-0878

Oneida
(315) 361-4149

Corporate Office
Syracuse
(315) 474-7841


Oswego
(315) 343-2739

Rochester
(585) 247-3100

24 Hour
Emergency Number
(800) 999-7841

www.cityelectricweb.com

Installation diagrams




G13

Light Technical Characteristics

Order code	Full product name	Color Code	Approximate Lumens	CRI
929000290604	EnduraLED T8 Tube GA 11W/840 24" G13	840	825	85
929000290004	EnduraLED T8 Tube GA 11W/835 24" G13	835	825	85
929000290104	EnduraLED T8 Tube GA 22W/835 48" G13	835	1650	85
929000290704	EnduraLED T8 Tube GA 22W/840 48" G13	840	1650	85

Electrical Characteristics

Order code	Full product name	Wattage	Voltage
929000290604	EnduraLED T8 Tube GA 11W/840 24" G13	11	100-277
929000290004	EnduraLED T8 Tube GA 11W/835 24" G13	11	100-277
929000290104	EnduraLED T8 Tube GA 22W/835 48" G13	22	100-277
929000290704	EnduraLED T8 Tube GA 22W/840 48" G13	22	100-277

Watertown (315) 782-0704 Ogdensburg (315) 394-0878 Oneida (315) 361-4149	City Electric Company, Inc.  www.cityelectricweb.com Corporate Office Syracuse (315) 474-7841	Oswego (315) 343-2739 Rochester (585) 247-3100 24 Hour Emergency Number (800) 999-7841
--	--	--



© 2011 Koninklijke Philips Electronics N.V.
 All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

www.philips.com/lighting

2011, December 22
 data subject to change